



# Silage film, silage protection & crop packaging



Better safe than sorry!

## harvest INTERNATIONAL® wickelfolie – stretch wrap

- 7 layers blow film
- guaranteed runnage
- excellent tensile strength and puncture resistance
- allows for a high pre-stretching ratio of up to 80 % (up to 70 % recommended)
- extraordinary adhesion and perfectly sealed bales
- perfectly suited for wrapping round and square bales on all popular bale wrappers
- UV-resistant: 12 months (Northern and Central Europe)
- excellent adhesiveness
- best colouring and opacity of the film
- suitable for all popular bale wrappers
- efficient plastic core



	750 mm × 1500 m	500 mm × 1800 m
white	✓	✓
light green	✓	✓
charcoal green	✓	✓
black	✓	

## harvest INTERNATIONAL® barrierefolie – oxygen barrier film

- high-quality barrier film, 75 µ, black / white
- coextruded 9-layer film
- elasticity: lengthwise 750 %, crosswise 800 % (ASTM D882)
- oxygen permeability: 0 - 10 cm<sup>3</sup>/m<sup>2</sup>/24 h (DIN 53380)  
The combination of various layers of high-quality plastic as well as the EVOH layer (etyhlen-vinyl alcohol-copolymer) enclosed within ensures an extremely high oxygen impermeability!
- easy to handle due to low weight
- environmentally friendly, fully recyclable
- 12 months UV-resistance

(m)	6	8	10	12	14	16	18	20	22	24	26	27	28	30	32
50	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
150		✓	✓												
200				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Special width and length available on request.

**Extremely oxygen-tight!**



## harvest INTERNATIONAL® rundballennetz – net wrap



- high-quality net wrap suitable for all popular round balers
- available in all popular widths and lengths
- **guaranteed runnage**

	guaranteed runnage	minimum weight
harvest INTERNATIONAL® 2000	2000 m	22.5 kg
harvest INTERNATIONAL® 3000	3000 m	32.0 kg
harvest INTERNATIONAL® EXTRA 3000	3000 m	33.5 kg

harvest INTERNATIONAL® EXTRA 3000 round bale net offers a guaranteed runnage of 3000 m and is suitable for all common presses with a 130 cm net mounting.

## harvest INTERNATIONAL® bindegarn – twine



- high standard baler twine
- available for all large square balers
- excellent tensile strength even inside the knot
- XL – **guaranteed runnage**

	guaranteed runnage
harvest INTERNATIONAL® 130 XL	✓
harvest INTERNATIONAL® 150 XL	✓

Other sizes available on request.

## harvest INTERNATIONAL® siloschutzgitter – silage protection net

- 220 g/m<sup>2</sup>, green
- guaranteed UV-resistance: 7 years
- contains handles for easy handling
- carefully seamed at the edges
- label of size sewn into all 4 corners

### Protects the forage

from damages caused by crows and other birds, game and livestock, storm and hail

### Keeps the film from

fluttering or „pumping up“

### Improves

the protection of the silage's quality and the silo's visual appearance



## harvest INTERNATIONAL® silosack – silage gravel bags

- tie cord is woven into the fabric
- handles are incorporated into the fabric
- sturdy selvedge
- solid, high quality monofilament fabric
- guaranteed UV-resistance: 7 years

### For optimum filling use gravel instead of sand!

- gravel does not absorb water
- stays ductile, durable and flexible
- gravel does not congeal at low temperatures and will not be washed away by rain
- easy to handle if filled loosely (2/3)
- adapts very well to the silo's uneven surface
- fill with grit (grain size 0/8) without sand, do not use stone chips



	length	90 cm	120 cm
width			
27 cm		✓	✓

## harvest INTERNATIONAL® vlies – protective fleece

for straw bales, potatoes, sugar beets, compost

- high stability under mechanical strain
- withstands high wind loads
- UV resistant
- protects against contamination or defilement (like bird droppings)
- installation instructions included

### In-stock product

	width	10.4 m	13.0 m	15.6 m
length				
12.5 m		✓		
25.0 m		✓	✓	✓

### Packaging

Delivered individually wrapped in transparent bags and on EUR-pallets, excellent storability and transportability.



## harvest INTERNATIONAL® unterzugfolie – cling film

### Stability after opening

- transparent, three-layer PE film
- adapts perfectly to the silo's uneven texture
- reduces oxygen permeation after opening

	6 m	8 m	10 m	12 m	14 m	16 m	18 m
50 m	✓	✓	✓	✓	✓	✓	✓
150 m		✓	✓	✓	✓	✓	✓
300 m		✓	✓	✓	✓	✓	✓



## harvest INTERNATIONAL® seitenwandfolie – side wall sheets

- prevents oxygen and moisture from getting in between the wall and silage
- protects the wall from silage acids
- no dead-time – can be used at short notice, whatever the weather is like
- perfectly hygienic
- easy to dispose of

	3 m	4 m	5 m	6 m
50 m	✓	✓	✓	✓
100 m	✓			
300 m	✓	✓	✓	✓



## harvest INTERNATIONAL® silolack – silo varnish

- contains high vacuum bitumen (HVB)
- ring and ball softening point: 100 °C
- the solvent is purified and phenol-free
- no contamination of the forage with coating residues (as it will not stick to the varnish)
- provides a non-sticky surface
- resistant to forage acids
- food-safe, therefore suitable for drinking water reservoirs
- consumption: approx. 1 litre per 5 m<sup>2</sup> for two coatings
- apply evenly using paint brush/roller (drying time approx. 1 hour); use white spirit for cleaning, **surface must be dry and clean**
- mix varnish with white spirit or universal thinner if you're using airless sprayers
- spray test area to determine the right mixture resp. the nozzles and pressure required

*available as  
200 litre barrel  
or 30 litre  
bucket*



## harvest INTERNATIONAL® folienklebeband – adhesive film tape

Adhesive film tape for repairing damages to silage bales or silage film. available in:

- white
- light green
- black



Distributor: