

trilen[®] 150 UV18

└ *recycled silage top sheet*

**MY
ECO
CONTRI-
BUTION**



trilen[®] 150 UV18

(top sheet)

„**Protect** the environment
– and your silage“

Recycling of plastics has evolved from a niche trend to a societal demand. No matter if it's bottles, clothing or silage sheets.


„**From old to new**“

trilen[®] 150 UV18 is produced in state of the art plants and include more than 60% recycled plastics. This enables a sustainable use of resources while also ensuring a quality product.

„**Quality is**
non-negotiable“

Although trilen[®] 150 UV18 is made with a resource friendly and sustainable process in mind, the main focus still lies in practical quality for our customers. The 3 layered coex silage top sheet has an improved UV-stabilization (18 month UV-guarantee) and a dartdrop value of 600g, both of which guarantee a high mechanical durability.

trilen[®] 150 UV18 is the ideal solution
for forward thinking farmers with a demand for quality and durability




jbs barrierfilm[®]

(cling sheet)

„Layer by layer“

Loose placement of the oxygen barrier cling sheet enables it to „suck“ itself onto your silage, so that your feed gets immediate protection from trailing oxygen.

A layer of EVOH enables an O₂ protection of 0 - 9 cm³/m²/24 h. This stops the growth of yeasts and fungi in your feed immediately. At the same time lactobacilli and the related lowering of the pH-value are accelerated.




standard
PE-top sheet

250 cm³/m²/24 h

„Lasting stability“

once opened“

The transparent barrier cling sheet fits itself into the uneven surface of your silo and reduces the oxygen intake after opening.



jbs barrierfilm[®]

0 - 9 cm³/m²/24 h



For stress-free silo covering, we recommend a roll bar, which enables you to unroll both top and cling sheet at the same time. We offer a free rental roll bar with your purchase of one roll of silo sheet.

This way, nothing stops you from creating the perfect silo!

**extremely
gasproof**



Size chart

Size chart for:

trilen® 150 UV18

jbs barrierfilm®

*size only available as **trilen® 150 UV18**

Available sizes:

50 x 6 m

50 x 7 m

50 x 8 m

50 x 9 m*

50 x 10 m

50 x 11 m*

50 x 12 m

50 x 14 m

50 x 16 m

50 x 18 m

150 x 8 m

150 x 10 m

150 x 12 m

150 x 14 m

150 x 16 m

150 x 18 m

300 x 8 m

300 x 10 m

300 x 12 m

300 x 14 m

300 x 16 m

300 x 18 m

300 x 20 m

Gravel bag tube



Gravel bag



Silage additives



silo-safeline



Protective netting



For additional information and product videos visit us at:

www.jbs.gmbh

joachim behrens scheessel gmbh • Celler Straße 60 • D-27374 Visselhövede
Tel.: +49 4262 - 20 74 -913 • Fax: +49 4262 - 300 98 19 • int@jbs.gmbh • www.jbs.gmbh